**WHAT IS CLAIMED IS:**

1. A blended hydrocarbonaceous product comprising:

   a) a Fischer Tropsch derived product; and

   b) an effective amount of a temporary antioxidant such that the blended product has a peroxide number of less than 5 ppm after 7 days.

2. A blended hydrocarbonaceous product according to claim 1, wherein an

   a) effective amount of temporary antioxidant is added such that the blended product has a peroxide number of less than 3 ppm after 7 days.

3. A blended hydrocarbonaceous product according to claim 1, wherein an effective amount of temporary antioxidant is added such that the blended product has a peroxide number of less than 1 ppm after 7 days.

4. A blended hydrocarbonaceous product according to claim 1, wherein the

   a) Fischer Tropsch derived product is selected from the group consisting of Fischer Tropsch naphtha, Fischer Tropsch jet fuel, Fischer Tropsch diesel fuel, Fischer Tropsch solvent, Fischer Tropsch lube base stock, Fischer Tropsch lube base oil, Fischer Tropsch LPG, Fischer Tropsch synthetic crude, and mixtures thereof.

5. A blended hydrocarbonaceous product according to claim 1, wherein the temporary antioxidant has a mid-boiling point at least 10°F lower than the 5% point of the Fischer Tropsch product.

6. A blended hydrocarbonaceous product according to claim 5, wherein the temporary antioxidant has a mid-boiling point at least 20°F lower than the 5% point of the Fischer Tropsch product.

7. A blended hydrocarbonaceous product according to claim 6, wherein the temporary antioxidant has a mid-boiling point at least 50°F lower than the 5% point of the Fischer Tropsch product.

8. A blended hydrocarbonaceous product according to claim 1, wherein the temporary antioxidant is a sulfur-containing antioxidant.

9. A blended hydrocarbonaceous product according to claim 8, wherein the sulfur-containing antioxidant is a compound of Formula I

$$RS_xR' \qquad \text{Formula I}$$

wherein R and R' are independently selected from the group consisting of straight chain alkyl, branched alkyl, and cycloalkyl; and x is an integer from 1 to 4.

10. A blended hydrocarbonaceous product according to claim 9, wherein R and R' are independently selected from the group consisting of methyl, ethyl, propyl, n-butyl, and i-butyl; and x is 2 or 3.

11. A blended hydrocarbonaceous product according to claim 9, wherein x is 2.

12. A blended hydrocarbonaceous product according to claim 9, wherein the blended product contains between 1 ppm to 1 wt% antioxidant.

13. A blended hydrocarbonaceous product according to claim 12, wherein the antioxidant is selected from the group consisting of dimethyldisulfide, methylethyldisulfide, diethyldisulfide, and mixtures thereof.

14. A blended hydrocarbonaceous product according to claim 9, wherein the antioxidant is a sweetening-derived antioxidant.

15. A blended hydrocarbonaceous product comprising:

a) a Fischer Tropsch derived product; and

b) a sulfur-containing temporary antioxidant,

wherein the sulfur content of the blended hydrocarbonaceous product is $\geq$ 1 ppm.

16. A blended hydrocarbonaceous product according to claim 15, wherein the sulfur-containing antioxidant is a compound of Formula I

$$RS_xR' \qquad \text{Formula I}$$

wherein R and R' are independently selected from the group consisting of straight chain alkyl, branched alkyl, and cycloalkyl; and x is an integer from 1 to 4.

17. A blended hydrocarbonaceous product according to claim 16, wherein R and R' are independently selected from the group consisting of methy, ethyl, propyl, n-butyl, and i-butyl; and x is 2 or 3.

18. A blended hydrocarbonaceous product according to claim 16, wherein x is 2.

19. A blended hydrocarbonaceous product according to claim 16, wherein the blended product contains between 1 ppm to 1 wt% antioxidant.

20. A blended hydrocarbonaceous product according to claim 15, wherein the temporary antioxidant has a mid-boiling point at least 10°F lower than the 5% point of the Fischer Tropsch product.

21. A blended hydrocarbonaceous product according to claim 20, wherein the temporary antioxidant has a mid-boiling point at least 20°F lower than the 5% point of the Fischer Tropsch product.

22. A blended hydrocarbonaceous product according to claim 21, wherein the temporary antioxidant has a mid-boiling point at least 50°F lower than the 5% point of the Fischer Tropsch product.

Document Page 26 of 26